GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department - Guntur Municipal Corporation - Allegations of irregularities and misuse of official position and corruption against Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation – Departmental Proceedings initiated - Articles of Charges framed – Expired on 19.11.2014 - Further action abated – interms of Rule 9(7) (a) of AP Revised Pension Rules, 1980 - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Ms.No.20 **Dated:03.02.2023.**

Read the following:

1. From the DG, ACB, Lr.Rc.No 06 /RE-VGT/2013-S,17, dt.16.07.2014.
2. From D.G.,ACB, A.P., Hyd Lr.Rc.Nos.06/RE-VGT/2013-S.17, dt,. 09.2014.
3. G.O.Rt.No.831, M.A. & U.D. Dept., dated 28.10.2014.
4. From the ENC(PH), Hyderabad, Letter No.600/GMC /ACB/ Alleg/CS2/ 2014,. dated: 13-03-2015.
5. From the ENC(PH), A.P., Letter No.GTR/CS2/2022, dt.14.10.2022.

***

O R D E R:

Whereas In the reference 1st read above, the DG, ACB, Hyderabad submitted a Regular Enquiry Report on the allegations of irregularities and misuse of official position and corruption etc., against Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation and others and requested to take departmental action against concerned officials of Municipal Corporation, Guntur by placing them before Commissionarate of Inquiries, Hyderabad.

2. In the reference 2nd read above, the DG, ACB, Hyderabad furnished Draft Article of Charges against concerned accused Officers in the case. Subsequently, in the reference 3rd read above Article of Charges were framed against Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation and directed to submit written statement of defence under Rule 20 of APCS(CCA) Rules, 1991.

3. In the reference 4th read above, the Engineer-in-chief (Public Health), Hyderabad stated that the Article of Charges framed could not be served to Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation, as he expired on 19.11.2014. In the reference 5th read above, the Engineer-in-chief (Public Health), A.P., Tadepalli, furnished the abatement proposal.

4. Government after careful examination of the matter, have decided to abate further action against Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation (Expired) as he was expired on 19.11.2014.

5. Accordingly, Government hereby abate further action against Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation (Expired) interms of Rule 9(7) (a) of AP Revised Pension Rules, 1980: subject to recovery of amount, if any caused loss by him to the Corporation, from his terminal benefits.

(P.T.O)

6. The Engineer-in-chief (Public Health), A.P., Tadepalli shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Legal heir of Late Sri B.Veeraiah, the then Assistant Engineer, Guntur Municipal Corporation - **through** the ENC(Ph), A.P., Tadepalli.
The Engineer-in-chief (Public Health), A.P., Tadepalli
Copy to:
The Director General, A.C.B., Vijayawada.
The Principal Accountant General (A&E), AP, Vijayawada.
The Secretary A.P.Vigilance Commissioner, A.P. Secretariat.
Sc/Sf.

//FORWARDED BY ORDER//

SECTION OFFICER.